

FSA\_EI i gi bi l i tyDetermi nati on\_SL\_1. 0. xsd

```

<?xml version="1.0" encoding="UTF-8"?>
<! -- edited with XMLSPY v5 rel. 2 U (http://www.xmlspy.com) by Nakia D Leggett
  (ProQuire LLC) -->
<xss: schema xmlns:xss="http://www.w3.org/2001/XMLSchema"
elementFormDefault="qualified" attributeFormDefault="unqualified">
  <xss: import schemaLocation="FSA_EI i gi bi l i tyDetermi nati on_CC_1. 0. xsd"/>
  <xss: complexType name="NSLDSDataMatchType">
    <xss: sequence>
      <xss: element name="MatchCode" type="NSLDSMatchCodeType"/>
      <xss: element name="PostScreeningCode" type="NSLDSPostScreeningReasonCodeType"/>
    </xss: sequence>
  </xss: complexType>
  <xss: complexType name="SelectiveServiceDataMatchType">
    <xss: sequence>
      <xss: element name="MatchCode" type="Sel ecti veServi ceMatchCodeType"/>
      <xss: element name="RegistrationCode" type="Sel ecti veServi ceRegi strati onCodeType"/>
    </xss: sequence>
  </xss: complexType>
  <xss: complexType name="INSDataMatchType">
    <xss: sequence>
      <xss: element name="MatchCode" type="INSMatchCodeType"/>
      <xss: element name="VerificationNumber" type="INSSeri cati onNumberType"/>
    </xss: sequence>
  </xss: complexType>
  <xss: complexType name="INSSecondaryConfigurationCodeType">
    </xss: sequence>
  </xss: complexType>
  <xss: complexType name="SSADataMatchType">
    <xss: sequence>
      <xss: element name="MatchCode" type="SSAMatchCodeType"/>
      <xss: element name="CivilRegistrationStatusCode" type="SSACivilRegistrationStatusType"/>
    </xss: sequence>
  </xss: complexType>
  <xss: complexType name="DeceasedDateType">
    </xss: sequence>
  </xss: complexType>
  <xss: complexType name="EI i gi bi l i tyDataMatchType">
    <xss: sequence>
      <xss: element name="NSLDS" type="NSLDSDataMatchType"/>
      <xss: element name="SelectiveService" type="Sel ecti veServi ceDataMatchType"/>
    </xss: sequence>
  </xss: complexType>
  <xss: complexType name="INSDDataMatchType">
    </xss: sequence>
  </xss: complexType>
  <xss: complexType name="VAMatchCodeType">
    </xss: sequence>
  </xss: complexType>
  <xss: complexType name="SARCI ndi catorType">
    </xss: sequence>
  </xss: complexType>
  <xss: complexType name="RecordTypeDataType">
    <xss: sequence>
      <xss: element name="ApplicationReceiptDate" type="Appl i cati onRecei ptDate"/>
    </xss: sequence>
  </xss: complexType>
  <xss: complexType name="TransactionReceiptDateType">
    </xss: sequence>
  </xss: complexType>
  <xss: complexType name="InputRecordTypeCodeType">
    </xss: sequence>
  </xss: complexType>
  <xss: complexType name="ProcessedRecordTypeCodeType">
    </xss: sequence>
  </xss: complexType>

```

```

FSA_EI i gi bi l i tyDetermi nati on_SL_1. 0. xsd
type="SystemGeneratedCodeType"/>
    <xs: element name="SubsequentAppl i cati onL ndi cator"
type="SubsequentAppl i cati onL ndi catorType"/>
        <xs: element name="Dupl i cateRequestL ndi cator"
type="Dupl i cateRequestL ndi catorType"/>
            <xs: element name="Dupl i cateRequestDate"
type="Dupl i cateRequestDate"/>
                <xs: element name="Correcti onSourceCode"
type="Correcti onSourceCodeType"/>
                    <xs: element name="Correcti onTransacti onNumber"
type="Correcti onTransacti onNumberType"/>
                        <xs: element name="Appl i cati onSourceCode"
type="Appl i cati onSourceCodeType"/>
                            <xs: element name="ReprocessedReasonCode"
type="ReprocessedReasonCodeType"/>
                                <xs: element name="Transacti onSourceCode"
type="Transacti onSourceCodeType"/>
                                    <xs: element name="Transacti onProcessedDate"
type="Transacti onProcessedDateType"/>
                                        <xs: element name="ISI RTransacti onCode"
type="ISI RTransacti onCodeType"/>
                                            <xs: element name="eSchool Posi ti on"
type="eSchool Posi ti onType" mi nOccurr="0"/>
                                                <xs: element name="eAppl i cati onSourceCode"
type="eAppl i cati onSourceCodeType"/>
                                                    <xs: element name="eDesti nat i onNumber"
type="eDesti nat i onNumberType" ni llabl e="true"/>
                                                        <xs: element name="Mul ti pl eSchool s"
type="Mul ti pl eSchool sType" mi nOccurr="0"/>
                                                            <xs: element name="BatchYear" type="BatchYearType"/>
                                                                <xs: element name="Seri al Number"
type="Seri al NumberType"/>
                                                                    <xs: element name="BatchNumber"
type="BatchNumberType"/>
                                                                        <xs: element name="ComputeNumber"
type="ComputeNumberType"/>
                                </xs: sequence>
                            </xs: compl exType>
                            <xs: compl exType name="Ai dAdmi ni stratorInformati onType">
                                <xs: sequence>
                                    <xs: element name="Veri fi cati onTracki ngCode"
type="Veri fi cati onTracki ngCodeType"/>
                                        <xs: element name="Veri fi cati onSel ectedCode"
type="Veri fi cati onSel ectedCodeType"/>
                                            <xs: element name="Dupl i cateSSNI ndi cator"
type="Dupl i cateSSNI ndi catorType"/>
                                                <xs: element name="ChangeCode" type="ChangeCodeType"/>
                                                    </xs: sequence>
                                            </xs: compl exType>
                                            <xs: compl exType name="Rej ectReasonsType">
                                                <xs: sequence maxOccurr="7">
                                                    <xs: element name="Rej ectCode" type="Rej ectCodeType"/>
                                                </xs: sequence>
                                            </xs: compl exType>
                                            <xs: compl exType name="Assumpti onsType">
                                                <xs: sequence>
                                                    <xs: element name="Assumpti on" type="Assumpti onType"
maxOccurr="24"/>
                                                        </xs: sequence>
                                                </xs: compl exType>
                                                <xs: compl exType name="Assumpti onType">
                                                    <xs: sequence>
                                                        <xs: element name="Fi el dName" type="Fi el dNameType"/>
                                                            <xs: element name="Fi el dVal ue" type="Fi el dVal ueType"/>
                                                    </xs: sequence>
                                                </xs: compl exType>
                                            </xs: sequence>
                                        </xs: compl exType>
                                    </xs: sequence>
                                </xs: compl exType>
                            </xs: sequence>
                        </xs: element>
                    </xs: sequence>
                </xs: element>
            </xs: sequence>
        </xs: element>
    </xs: sequence>

```

```

FSA_El i gi bi l i tyDetermi nati on_SL_1. 0. xsd
<xs: compl exType name="DataVeri fyCodesType">
    <xs: sequence>
        <xs: el ement name="DataVeri fyCode"
type="DataVeri fyCodeType" maxOccurs="120"/>
    </xs: sequence>
</xs: compl exType>
<xs: compl exType name="DataVeri fyCodeType">
    <xs: sequence>
        <xs: el ement name="Fi el dName" type="Fi el dNameType"/>
        <xs: el ement name="Veri fyCode" type="Veri fyCodeType"/>
    </xs: sequence>
</xs: compl exType>
<xs: compl exType name="Correcti onCodesType">
    <xs: sequence>
        <xs: el ement name="Correcti onCode"
type="Correcti onCodeWrapperType" maxOccurs="120"/>
    </xs: sequence>
</xs: compl exType>
<xs: compl exType name="Correcti onCodeWrapperType">
    <xs: sequence>
        <xs: el ement name="Fi el dName" type="Fi el dNameType"/>
        <xs: el ement name="Correcti onCode"
type="Correcti onCodeType"/>
    </xs: sequence>
</xs: compl exType>
<xs: compl exType name="Hi ghl i ghtFi el dsType">
    <xs: sequence>
        <xs: el ement name="Fi el dName" type="Fi el dNameType"
maxOccurs="120"/>
    </xs: sequence>
</xs: compl exType>
<xs: compl exType name="CommentCodesType">
    <xs: sequence>
        <xs: el ement name="CommentCode" type="CommentCodeType"
maxOccurs="20"/>
    </xs: sequence>
</xs: compl exType>
<xs: compl exType name="Acknowl edgementCommentCodesType">
    <xs: sequence>
        <xs: el ement name="Acknowl edgementCommentCode"
type="CommentCodeType" maxOccurs="9"/>
    </xs: sequence>
</xs: compl exType>
<xs: compl exType name="ProcessedAppl i cati onInformati onType">
    <xs: sequence>
        <xs: el ement name="DependencyStatusCode"
type="DependencyStatusCodeType"/>
        <xs: el ement name="DataRel easeNumber"
type="DataRel easeNumberType"/>
        <xs: el ement name="Pel l El i gi bi l i tyl ndi cator"
type="Pel l El i gi bi l i tyl ndi catorType"/>
        <xs: el ement name="Graduate ndi cator"
type="Graduate ndi catorType"/>
        <xs: el ement name="StudentTaxFi l i ngStatusCode"
type="TaxFi l i ngStatusCodeType"/>
        <xs: el ement name="ParentTaxFi l i ngStatusCode"
type="TaxFi l i ngStatusCodeType"/>
        <xs: el ement name="Rej ectReasons"
type="Rej ectReasonsType" minOccurs="0"/>
        <xs: el ement name="Assumpti ons" type="Assumpti onsType"
minOccurs="0"/>
        <xs: el ement name="DataVeri fyCodes"
type="DataVeri fyCodesType" minOccurs="0"/>
        <xs: el ement name="Correcti onCodes"
type="Correcti onCodesType" minOccurs="0"/>
        <xs: el ement name="Hi ghl i ghtFi el ds"

```

FSA\_EI i gi bi l i tyDetermi nati on\_SL\_1. 0. xsd  
 type="Hi ghl i ghtFi el dsType" minOccurs="0"/>  
     <xs: el ement name="CommentCodes"  
 type="CommentCodesType" minOccurs="0"/>  
     <xs: el ement name="Acknowl edgementCommentCodes"  
 type="Acknowl edgementCommentCodesType" minOccurs="0"/>  
     </xs: sequence>  
 </xs: compl exType>  
 <xs: compl exType name="EFCI ntermedi ateVal uesType">  
     <xs: sequence>  
         <xs: el ement name="Total I ncome"  
 type="Total I ncomeType"/>  
         <xs: el ement name="Total I ncomeAl l owances"  
 type="Total I ncomeAl l owancesType"/>  
         <xs: el ement name="StateTaxAl l owance"  
 type="StateTaxAl l owanceType"/>  
         <xs: el ement name="Empl oymentAl l owance"  
 type="Empl oymentAl l owanceType"/>  
         <xs: el ement name="I ncomeProtecti onAl l owance"  
 type="I ncomeProtecti onAl l owanceType"/>  
         <xs: el ement name="Avai l abl el ncome"  
 type="Avai l abl el ncomeType"/>  
         <xs: el ement name="Avai l abl el ncomeContri buti on"  
 type="Avai l abl el ncomeContri buti onType"/>  
         <xs: el ement name="Di screti onaryNetWorth"  
 type="Di screti onaryNetWorthType"/>  
         <xs: el ement name="NetWorth" type="NetWorthType"/>  
         <xs: el ement name="AssetProtecti onAl l owance"  
 type="AssetProtecti onAl l owanceType"/>  
         <xs: el ement name="ParentAssetContri buti on"  
 type="ParentAssetContri buti onType"/>  
         <xs: el ement name="Adj ustedAvai l abl el ncome"  
 type="Adj ustedAvai l abl el ncomeType"/>  
         <xs: el ement name="Total StudentContri buti on"  
 type="Total StudentContri buti onType"/>  
         <xs: el ement name="Total ParentContri buti on"  
 type="Total ParentContri buti onType"/>  
         <xs: el ement name="ParentContri buti on"  
 type="ParentContri buti onType"/>  
         <xs: el ement name="StudentTotal I ncome"  
 type="StudentTotal I ncomeType"/>  
         <xs: el ement name="StudentI ncomeAl l owance"  
 type="StudentI ncomeAl l owanceType"/>  
         <xs: el ement name="StudentI ncomeContri buti on"  
 type="StudentI ncomeContri buti onType"/>  
         <xs: el ement name="StudentDi screti onaryNetWorth"  
 type="StudentDi screti onaryNetWorthType"/>  
         <xs: el ement name="StudentAssetContri buti on"  
 type="StudentAssetContri buti onType"/>  
         <xs: el ement name="FI SAPTotal I ncome"  
 type="FI SAPTotal I ncomeType"/>  
         </xs: sequence>  
 </xs: compl exType>  
 <xs: compl exType name="EFCType">  
     <xs: sequence>  
         <xs: el ement name="Pai dl ndi cator"  
 type="Pai dl ndi catorType"/>  
         <xs: el ement name="EFC" type="EFCVal ueType"/>  
         <xs: el ement name="Formul aTypeCode"  
 type="Formul aTypeCodeType"/>  
         <xs: el ement name="Al ternateMonth"  
 type="Al ternateMonthType" minOccurs="0" maxOccurs="12"/>  
         <xs: el ement name="EFCI ntermedi ateVal ues"  
 type="EFCI ntermedi ateVal uesType"/>  
         </xs: sequence>  
 </xs: compl exType>  
 <xs: compl exType name="Pri maryEFCType">

```
FSA_EI_igi_bili_tyDetermination_SL_1.0.xsd
<xs:complExContent>
    <xs:extension base="EFCType"/>
</xs:complExContent>
</xs:complExType>
<xs:complExType name="SecondaryEFCType">
    <xs:complExContent>
        <xs:extension base="EFCType"/>
    </xs:complExContent>
</xs:complExType>
</xs:schema>
```